

IMPRESSA X9 Win

Keyfeatures

Latte Macchiato and Cappuccino at the touch of a button	■
12 coffee specialities at the touch of a button	■
Pot of coffee in espresso quality	■
Auto-Cappuccino for Milkfoam	■
Auto-Cappuccino for hot milk	■
Separate nozzles for hot water and steam	■
Simultaneous draw off of coffee and hot water or steam	■
3.5 inch multicolour TFT Display	■
Video and audio-aided operation	■
Microsoft Windows CE-based operating system	■
Two separate heating systems	■
Active bean monitoring	■
Cup tray	■
Automatic milk rinse	■
Integrated combined cleaning system (milk and coffee system)	■
Code-based user identification	■
Individual, resettable cup counter	■
TÜV Certificate for user-friendly contents of the operation manual	■
Indication of care status	■

Technische Daten



IMPRESSA key technologies and standards

Intelligent Pre Brew Aroma System (I.P.B.A.S.©)	■
CLARIS plus filter cartridge (I.P.W.S.© compatible)	■
Two cups in a single brewing operation	■
Powerful 6-level conical grinder	■
Thermoblock heating system	■
High-performance pump, 15 bar	■
Automatic recognition of filter change	■
Automatic recognition of maintenance programmes	■
Power Switch	■

Programming

14 coffee specialities individually programmable	■
Programmable coffee mixture	■
Programmable brewing temperature	■
Programmable water quantity for coffee	■
Programmable hot water	■
Adjustable amount of water for coffee	■
Adjustable amount of water	■
Programmable switch-off time	■
Programmable switch-on time	■
Integrated rinsing/cleaning/descaling programme	■
Programmable water hardness	■

Technische Daten



Preparation Times

1 Espresso (60 ml)	approx. 30 sec
2 Espresso	approx. 45 sec
1 coffee (120 ml)	approx. 40 sec
2 coffees	approx. 65 sec
1 Cappuccino (60 ml coffee)	approx. 40 sec
1 Milkcoffee (100 ml coffee)	approx. 40 sec
1 Latte Macchiato (45 ml coffee)	approx. 40 sec

Capacity

Daily capacity	approx. 100 cups
Volume of bean hopper	650 g each
Volume of grounds container (portions)	approx. .40
Water tank capacity	5.0 l
Hot water output	10 l/h

Accessories (all optional))

Milk Cooler	■
Cup warmer	■
Choco Modul	■
Permanent connection to water supply	■
Catering Mobil	■
Modular Box – Billing system	■

Technische Daten



MDB Interface



Facts

Variable brewing unit

5- 16 g

Height-adjustable dual-purpose dispenser

60- 142 mm

Weight

20.7 kg

Dimensions (W x H x D)

43 x 58 x 51 cm

Cable length

1.8 m

Intensity of current

15 A

Voltage

230 V AC

Power

2200 W

Tests

CE 

Article number

13458

Swiss Made

